

IN THE CLAIMS

Please amend the claims as follows, substituting any amended claim(s) for the corresponding pending claim(s):

1        1.        (Currently amended) An information server, comprising:  
2                a processor;  
3                a memory including computer instructions that define logic to prompt the information  
4 server to receive a mobile terminal ID and its location whenever the mobile terminal registers its  
5 presence in a new cell and to evaluate an information customer profile that corresponds to the  
6 mobile terminal ID to determine if a specific push data message is to be transmitted to the mobile  
7 terminal through a wireless data packet network;  
8                an internal bus coupled to the processor and the memory to enable the processor to  
9 receive the computer instructions stored within the memory; and  
10               wherein the information server is operable to determine if the specific push data message  
11 is to be transmitted based upon at least one an identified Picocell, wherein push data is ~~adds are~~  
12 arranged according to Picocell service areas, or upon specified products and services identified in  
13 a user profile associated with the mobile terminal ID.

1               2.        (Original) The information server of claim 1 wherein the wireless data packet  
2 network comprises one of a GPRS or UMTS network.

1               3.        (Original) The information server of claim 1 wherein the wireless data packet  
2 network comprises a wireless local area network.

1               4.        (Original) The information server of claim 1 wherein the specific push data  
2 message comprises a solicited advertisement.

1               5.        (Original) The information server of claim 4 wherein the solicited advertisement  
2 is for a product or service identified in the profile for an information customer.

1           6.       (Original) The information server of claim 1 wherein the specific push data  
2 message comprises an unsolicited message.

1           7.       (Original) The information server of claim 6 wherein the unsolicited message is  
2 transmitted as a result of the mobile terminal having traveled into the cell proximate to a vendor  
3 for whom the advertisement is transmitted.

1           8.       (Original) The information server of claim 1 wherein the computer instructions  
2 define logic to transmit the customer profile information to a vendor server that is proximate to  
3 the cell within which the mobile terminal is registered.

1           9.       (Original) The information server of claim 8 wherein the vendor carries products  
2 or sells services similar to at least one product or service identified in the information customer's  
3 profile.

1           10.      (Original) The information server of claim 8 wherein the customer profile  
2 information is transmitted to the vendor server to prompt it to generate an advertisement to the  
3 mobile terminal.

1           11.     (Currently amended) A method for delivering an advertisement to a mobile  
2 terminal comprising:  
3                     receiving location information that identifies a mobile terminal and a location;  
4                     determining, based upon the mobile terminal location, whether a vendor should  
5 be sent customer profile information to a vendor server for it to determine whether a push data  
6 message should be sent to the mobile terminal; and  
7                     transmitting customer profile information to an external server, and, if a push  
8 data message is to be sent to the mobile terminal, receiving the push data from external server and  
9 transmitting the push data message to the mobile terminal; and  
10                    wherein the information server is operable to determine if the specific push data  
11 message is to be transmitted based upon at least one ~~an~~ identified Picocell, wherein push data is  
12 ~~adds are~~ arranged according to Picocell service areas, or upon specified products and services  
13 identified in a user profile associated with the mobile terminal ID.

1           12.     (Original) The method of claim 11 wherein the push data message is a solicited  
2 advertisement.

1           13.     (Original) The method of claim 12 wherein the solicited advertisement is for a  
2 product or service that is similar to one identified in the customer profile information.

1           14.     (Original) The method of claim 13 wherein the solicited advertisement is for a  
2 product or service that is identified in the customer profile information.

1           15.     (Original) The method of claim 11 wherein the push data message is for an  
2 unsolicited advertisement.

1           16.     (Original) The method of claim 15 wherein the push data message if for specified  
2 information triggered by an event.

1           17.     (Original) The method of claim 16 wherein the event is that a specified travel  
2 condition has occurred.

1           18.     (Original) The method of claim 17 wherein the travel condition is a flight  
2 schedule changes that is viewed in relation to the user location and traffic patterns.

1           19.     (Original) The method of claim 11 wherein the step of determining the mobile  
2 terminal location includes determining the identity of a Picocell within which the mobile terminal  
3 is registered.

1           20.     (Original) The method of claim 11 further comprising the step of transmitting  
2 push data in one of a broadcast mode or a priority mode wherein the priority mode includes  
3 sending the push data to the highest priority device whose presence is registered according to  
4 consumer profile information.